NEW HOME UNIVERSAL DESIGN CHECKLIST (AB 1400)

Name of Development, if applicable		
Home/Lot Address/ID		
Developer (Contact) Name		
Phone #	Fax	
Address		

California law, section 17959.6 of the Health and Safety Code, requires a builder of new for-sale residential units to provide potential buyers with a list of specific "universal design features" which make a home safer and easier to use for persons who are aging or frail, or who have certain temporary or permanent activity limitations or disabilities.

<u>Part I</u> of this Checklist includes those features related to exterior adaptations, doors and openings, interior adaptations, kitchens, and bathrooms or powder rooms.

<u>Part II</u> of this Checklist includes features which apply to other parts of the house and are commonly requested or considered universal design features.

<u>Part III</u> provides space for details, or for any other external or internal feature that may be requested, if it is requested at a reasonable time by the buyer, is reasonably available, is reasonably feasible to install or construct, and makes the home more usable and safer for a person with any type of activity limitation or disability.

All features covered by "Chapter 11A" of the California Building Code (Title 24, CA Code of Regulations, Part 2) are identified by an asterisk (*) and must comply with that Chapter unless otherwise specifically provided. All features not in Chapter 11A must be selected and installed in a workmanlike manner by the builder unless they are further described in *Part III*.

Not every feature listed must actually be available or offered by the builder. In addition, certain items must be requested prior to certain phases of construction, as specified by the builder. The builder may provide estimated costs for the special features. The features must be installed and comply with Chapter 11A, unless the builder and buyer agree in writing to different standards than those in Chapter 11A and the differences are clearly disclosed in <u>Part III</u>. A builder is not required to install the listed features unless the builder offers them and both of the following occur: (1) the buyer requests them with the specified phase of construction, and (2) the buyer agrees to provide payment for the features. Any violation of this law is enforced by the local building department and local public prosecutors, and is punishable by civil penalties.

The attached chart lists the specific features which must be disclosed, as well as others commonly requested but not required by law. There are four categories for each feature:

- "Status": whether it is standard ("S"), limited ("L"), an option ("O"), or not available ("NA"), all as determined by the builder.
- "Timing": by what stage in construction it must be requested (such as "any time", "before foundation", "before framing", or "before internal wall covering"), with actual times selected by the builder.
- "Details": whether or not there are additional details or specified modifications from the Building Code listed in the "Additional Details" section, Part III (e.g., "Yes" or "No").
- Cost": optional labor and materials costs which may be estimated by the builder.

PART I: General Exterior and Interior Components and Features

<u>Feature</u>	<u>Status</u>	<u>Timing</u>	<u>Details</u>	Cost
Exterior Adaptations Accessible route of travel to dwelling from public sidewalk or thoroughfare to primary entrance Graded path* Ramp* Driveway to graded path No-step entry (1/2" or less threshold)* Accessible landscaping of at least one side yard and rear yard Accessible route from garage/parking to home's primary entry* Accessible route from garage/parking to secondary entry Other options offered by builder [List in Part III]				\$ \$ \$ \$ \$ \$
Exterior Doors, Openings, and Entries: Minimum 32" clear primary entry doorway*				\$
Minimum 32" clear secondary entry doorway*				\$
Primary entry accessible internal/external maneuvering				
clearances, hardware, thresholds, and strike edge clearances	·*			\$
Secondary entry accessible internal/external maneuvering				_
clearances, hardware, thresholds, and strike edge clearances	*			\$
Primary entry accessible/dual peephole and doorbell				\$
Primary entry door sidelight/window Accessible sliding glass door and threshold height*				\$ \$
Weather-sheltered entry area				φ \$
Other options offered by builder [List in Part III]				Ψ
General Interior Modifications Accessible route of travel to at least one bathroom/powder room kitchen, and common room*	ı, 			\$
Accessible route of travel: other areas* 42" wide hallways/maneuvering clearances with 32" clear				\$
doorways on accessible route*				\$
39" wide hallways/maneuvering clearances with 34" clear				Ψ
doorways on accessible route*				\$
Accessible hallway and doorway widths: other areas*				\$
Accessible hardware, strike edge clearance, and thresholds for accessible doorways*				\$
Light switches, electric receptacles, and environmental and aları	m			
controls at accessible heights on accessible route/rooms*				\$
Light switches, electric receptacles, and environmental and				
alarm controls at accessible heights on primary floor*				\$
Light switches, electric receptacles, and environmental and				Φ.
alarm controls at accessible locations when over barriers*				φ
Rocker light switches/controls on accessible route/rooms Rocker light switches/controls on primary floor				ΦΦ
Visual smoke/fire/carbon monoxide alarm				\$ \$
Audio and visual doorbell				\$
Audio and visual security alarm				\$
Closets on accessible route: adjustable (36"-60") rods/shelves				\$
2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.				

Abbreviation Meanings: Standards in CA Bldg Code (Chapter 11A), ("*"); Status: Standard ("S"), Limited ("L"), Option ("O"), or Not Available ("NA"); Timing: Any Time ("AT"), Before Foundation ("BFo"), Before Framing ("BFr"), Before Internal Wall Covering ("BIW"); Details: See Part III ("Y" or "Yes"), None ("N" or "No").

<u>Feature</u>	<u>Status</u>	Timing	<u>Details</u>	Cost
Nonslip carpet/floor for accessible route Handrail reinforcement (1 side) provided in all accessible				\$
routes of travel/rooms over 4 feet long Handrails (1 side) provided in all accessible routes of				\$
travel/rooms over 4 feet in length Handrail reinforcement (2 sides) provided in all accessible	- <u></u>			\$
routes of travel/rooms over 4 feet in length Handrails (2 sides) provided in all accessible routes of				\$
travel/rooms over 4 feet in length Handrail reinforcement or handrails installed in other areas				\$ \$
Interior stairway lift				
Interior elevator				\$ \$
Electrical and reinforcement for future lift Electrical and location for future elevator				\$ \$
Laundry Area, if provided: Accessible route of travel				\$
Accessible workspace Accessible cabinets				\$ \$
Accessible appliances Other options offered by builder [List in Part III]				\$
Kitchen				
At least one kitchen on accessible route of travel Adequate work/floor space in front of:				\$
Stove (specify 30"x48" or greater)* Refrigerator (specify 30"x48" or greater)*				\$ \$
Dishwasher (specify 30"x48" or greater)* Sink (specify 30"x48" or greater)*				\$ \$
Oven (if separate) (specify 30"x48" or greater)* U-shaped kitchen space requirements*				\$ \$
Other (specify 30"x48" or greater)* Accessible appliances (doors, controls, etc.)				-
Stove Refrigerator				\$ \$
Dishwasher Sink				\$
Oven (if not part of stove)				\$ \$
Microwave/receptacle at countertop height Other appliances				\$
Accessible countertops All or a specified portion repositionable*				\$
One or more breadboards at 15" wide* and 28"-32" high One or more counter areas at 30" wide* and 28"-32" high	h			\$ \$
One or more workspaces at 30" wide with knee/toe space Other features	ce			\$
Cabinets: Base cabinets: pull-out and/or Lazy Susan shelves				\$
Wall cabinets: pull-out and/or Lazy Susan shelves Additional interior lighting				\$ \$
Additional under-cabinet lighting Accessible handles//touch latches for doors/drawers				\$ \$ \$
Accessible Harraics/Acadil lateries for acors/arawers				Ψ

Abbreviation Meanings: Standards in CA Bldg Code (Chapter 11A), ("*"); <u>Status:</u> Standard ("S"), Limited ("L"), Option ("O"), or Not Available ("NA"); <u>Timing</u>: Any Time ("AT"), Before Foundation ("BFo"), Before Framing ("BFr"), Before Internal Wall Covering ("BIW"); <u>Details</u>: See Part III ("Y" or "Yes"), None ("N" or "No").

	<u>Feature</u>	<u>Status</u>	Timing	<u>Details</u>	Cost
0:41	Under-cabinet roll-out carts Other features				\$
Sink:	Repositionable height*				\$
	Removable base cabinets under sink*				\$
	Single-handle lever faucet*				\$
	Hose/sprayer feature				\$
	Anti-scald device				\$
0 1	Other features				
Contra	sting Colors:				φ
	Edge border of cabinets/counters				\$
	Flooring: in front of appliances				\$ \$
	Flooring: on route of travel Other features				Φ
Other (options offered by builder [List in Part III]				
Olliel	options offered by builder [List in Fart in]				
Rathr	oom/Powder Room				
	t one full bathroom on accessible route of travel				\$
	vering Space (For bathrooms and powder room)				Ψ
Maneu	Maneuvering space diameter				
	30" x 48" turning area*				\$
	60" diameter turning area				\$
	Clear space for toilet and sink				Ψ
	36" x 36" clear use area				\$
	30" x 48" clear use area*				\$
Bathtul	b and/or shower (For bathrooms only)				
	Standard bathtub with grab bar reinforcement*				\$
	Standard bathtub with grab bars*				\$
	Accessible bathtub (size* and handles)				\$
	Standard shower with grab bar reinforcement*				\$
	Standard shower with grab bars*				\$
	Accessible (roll-in) shower*				\$
	Single-handle lever faucets*				\$
Ta:la4 /	Offset controls for exterior use				\$
rollet ((For bathrooms or powder room)				\$
	Standard toilet with grab bar reinforcement* Standard toilet with grab bars*				\$
	Accessible toilet with grab bars*				\$
Sink/La	avatory (For bathrooms or powder room)				Ψ
Onno	Standard with undersink cabinets				\$
	Standard with removable base cabinets*				\$
	Pedestal or open front*				\$
Access	sories (For bathroom or powder room)				T
	Lower/accessible medicine chest				\$
	Accessible counter space near sink				\$
	Single-handle lever faucets*				\$
	Anti-scald devices for sink				\$
	Accessible handles//touch latches for doors/drawers				\$
	Lower towel rack(s)				\$
	Lower/tilted mirror(s)				\$
	Contrasting floor color				\$
	Fold-down/fixed shower seat(s)				\$

Abbreviation Meanings: Standards in CA Bldg Code (Chapter 11A), ("*"); <u>Status:</u> Standard ("S"), Limited ("L"), Option ("O"), or Not Available ("NA"); <u>Timing</u>: Any Time ("AT"), Before Foundation ("BFo"), Before Framing ("BFr"), Before Internal Wall Covering ("BIW"); <u>Details</u>: See Part III ("Y" or "Yes"), None ("N" or "No").

<u>Feature</u>	<u>Status</u>	<u>Timing</u>	<u>Details</u>	Cost
Accessible toilet tissue holder Hand-held adjustable shower spray unit(s) Other options offered by builder [List in Part III]				\$ \$
Part II: Other Compone	ents and F	<u>eatures</u>		
Common Room Dining room on accessible route of travel* Living room on accessible route of travel* Den on accessible route of travel* Split-level common room with accessible route of travel* No split level common room* Other options offered by builder [List in Part III]				\$ \$ \$ \$
Bedroom One bedroom on accessible route of travel Two or more bedrooms on accessible route of travel Closets have minimum 32" clear opening* Larger "walk-in" closets Closets have adjustable (36"-60") shelves and bars Other options offered by builder [List in Part III]				\$ \$ \$ \$ \$
Laundry Area Laundry area on accessible bath of travel Accessories:				\$ \$ \$ \$

Part III: Additional Details, Components, or Features

reasonable time by the buyer that is reas construct and makes the residence more disabilities in order to accommodate then address numbers, electronic garage door	(Any other additional external feature requested at a sonably available and reasonably feasible to install or e usable for a person with activity limitations or en). These may include features such as high-visibility r openers, additional lights, door bench or package garage entry, etc. (Attached as Part III. A:YesNo)
	Any other additional external feature offered to the buyer more usable for a person with disabilities or activity). (Attached as Part III.B:YesNo)
reasonable time by the buyer that is reas construct and makes the residence more disabilities in order to accommodate then window sills (under 36"), additional lighting	(Any other additional internal feature requested at a sonably available and reasonably feasible to install or a usable for a person with activity limitations or m). These may include features such as lowereding, "touch" luminous light switches, automatic internal tures, lighted closets, air filtration systems, larger/more c. (Attached as Part III.C:YesN)
	ny other additional internal feature offered to the buyer more usable for a person with activity limitations or m). (Attached as Part III.D:YesNo)
<u> </u>	Standards: (Any mutually agreed-upon features with the California Building Code, including clearly identified ned as Part III.E:YesNo)
Chapter 11A of the California Building Co	s: (Any mutually agreed-upon features not covered by ode for which additional detail would be helpful to the ified standards.) (Attached as Part III.F:YesNo)
Form Provided by Builder to Buyer:	
	Builder Initials/Date Buyer Initials/Date
No Universal Design Features Reques	Buyer Signature/Date
Universal Design Features Identified And Agreed To By Builder and Buyer:	
	Builder Signature/Date